Safety Data Sheet

Walther ProSecur Pepper Gel

May be used to comply with OSHA's Hazard Communication Standard, Quick Identifier 29 CFR 1910. 1200(g). Standard must be reviewed for specific requirements.

01.20.2016

SECTION 1 - CHEMICAL PRODUCT & COMPANY IDENTIFICATION			
PRODUCT NAME:	Umarex Walther GEL		
SYNONYMS:	Pepper Spray, OC Spray, Pepper Gel		
CHEMICAL NAME:	Oleoresin Capsicum (Red Pepper)		
CHEMICAL FAMILY:	Irritant Agent		
PRODUCT USE:	Handheld aerosol canister that sprays an irritating formula in the esafety.	eyes, nose and mouth of a person threatening your personal	
MODEL #'s:	2.2022, 2.2050.2 Walther ProSecur Pepper Gel		
Manufacturer's Name:	UMAREX GmbH & Co. KG	Emergency Phone Number: 02932-638-01	
Address:	Donnerfeld 2	Other Calls:	
City, State, Zip	59757 Arnsberg	Fax Number: 02932-638-222	

Further Information obtainable from Info Trac.

Information in case of emergency:

P410

P412

SECTION 2 - HAZARDOUS IDENTIFICATION

Classification of the substance or mixture

GHS Label Elements, including precautionary statements

Pictogram:	GHS Pictogram Health Hazard Symbol
Signal Word:	Warning
Hazard Statement(s)	
H229	Pressurized container, may burst if heated
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
Precautionary Statement(s)	
P102	Keep out of reach of children
P210	Keep away from heat / sparks / open flame / hot surfaces - NO SMOKING
P251	Pressurized container: Do NOT pierce or burn even after use
P302 + P352	IF ON SKIN: Wash with plenty of soap and water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue to rinse.
P337 + P313	IF EYE IRRITATION PERSISTS: Get medical advice / attention

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS Hazardous Component(s) (chemical & common name(s) Content(s) OSHA TWA ACGIH TLV Carcinogen (Yes / No)					
Hazardous Component(s) (chemical & common name(s)	Content(s)	USHA IWA	ACGIN ILV	Carcinogen (1es / No)	
Oleoresin Capsicum (OC or Red Pepper) CAS# 8023-77-6	10% *	N/A	N/A	No	
Ethanol CAS# 67-17-5	**	1000 ppm	1000 ppm	No	
Propylene Glycol CAS# 57-55-6	**	N/A	N/A	No	
Polysorbate 80 CAS# 9005-65-6	**	N/A	N/A	No	
Nitrogen CAS# 7727-37-9	N/A	N/A	N/A	No	
*10% @ 1.33% Major Capsaicinoids					

Do NOT expose to temperatures exceeding 50°C / 122°F

Protect from sunlight

Major Capsaicinoids are determined via A.O.A.C. Method 995.03. ** Other ingredients are trade secrets as defined in Hazard Communications ACT 29 CFR 1910.1200(g) Para 1 (1) end Appendix D to CFR 1910.1200(g).

Procedures: intigate with copious amounts of cool water. Obtain medical advice is symptoms persists. Remove from contaminated area immediate. Provide fresh air. In threathing, difficult, administer oxygen. If the victim is not breathing, administer CPR. simmediate medical attention. 2. Eyes Only exposed subject or EMS should remove subject's contact lenses. Intiging immediate medical attention of the least 15 minutes, wash with mild soap and water persists. 3. Skin Flush with cool water for at least 15 minutes, Wash with mild soap and water medical attention if irritation persists. DO NOT INDUCE VOMITING. If victim is convoluting or truncancious, do not give anything by ensure the victim's alrway is open and lay the victim on his/her side with the lower than the body. IMMEDIATELY transport the victim to a hospital. SECTION 5 - FIRE-FIGHTING MEASURES **Iammability Classification 16 CFR 1904.5: Non-Fiammabile; Electronic Immobilization Device Compatible Teach Points. **Procedures: Wear respirator or self-contained breathing apparatus. **Procedures: Value of the procedure of the proce	Emergency &	ST AID MEA	Remove vict	im from contaminated are	ea and remove contaminate	ed clothing Prov	ide fresh air
1. Inhalation difficult, administer oxygen. If the victim is not breathing, administer CPR. immediate medical attention. 2. Eyes Only exposed subject or EMS should remove subject's contact lenses. Irriging conditions and the control of EMS should remove subject's contact lenses. Irriging control remove subject's control remove subject is control removed. 3. Skin Flush with cool water for at least 15 minutes. Wash with mild soap and water with water. Ingest milk or water. Call 800-935-953 or obtain medical advision immediately. If victim is convoluting or unconscious, and not convoluting, anything by the lower than the body. IMMEDIATELY transport the victim to a hospital immediately. If victim is convoluting or unconscious, and not convoluting or unconscious, and not only given with water. Impediately. If victim is convoluting or unconscious, and not convoluting or unconscious, and not convoluting anything to the lower than the body. IMMEDIATELY transport the victim to a hospital size with lower than the body. IMMEDIATELY transport the victim to a hospital size with lower than the body. IMMEDIATELY transport the victim to a hospital size with lower than the body. IMMEDIATELY transport the victim to a hospital size with lower than the body. IMMEDIATELY transport the victim to a hospital size with lower than the body. IMMEDIATELY transport the victim to a hospital size with lower transport the victim to a hospital size with lower transport the victim to a hospital size with lower transport the victim to a hospital size wi							
Only exposed subject or EMS should remove subjects contact leanse. Incompetitive of at least 15 minutes, or until relieved. Seek medical attention persists. 3. skin Flush with cool water for at least 15 minutes, which mild soap and water medical attention in tritation persists. 5. skin Flush with cool water for at least 15 minutes. Wash with mild soap and water medical attention if irritation persists. 5. skin Flush with cool water for at least 15 minutes. Wash with mild soap and water medical attention if irritation persists. 5. skin Flush with cool water for at least 15 minutes. Wash with mild soap and water medical attention if irritation persists. 5. skin Flush with cool water for at least 15 minutes. Wash with mild soap and water medical attention if irritation persists. 5. skin Flush with cool water for at least 15 minutes. Wash with mild soap and water with water in the world i			1. Inhalation	difficult, administer oxyg	gen. If the victim is not bre		•
Routes Of Entry 3. skin Flush with cool water for at least 15 minutes. Wash with mild soap and wate medical authorin of irritation persists. DO NOT INDUCE VOMITING. If victim is conscious and not convulsing, from with water. Ingest milk or water. Call 800-535-5053 or obtain medical authoring with water. Ingest milk or water. Call 800-535-5053 or obtain medical avive immediately. If victim is conscious, do not give anything by ensure the victor's airway is open and lay the victim on his/her side with the lower than the body. IMMEDIATELY transport the victim to a hospital. SECTION 5 - FIRE-FIGHTING MEASURES Ianimability Classification 16 CFR 1500-45: Non-Flammable; Electronic Immobilization Device Compatible Talsah Point: NA Auto-Ignition Temperature N/A Auto-Ignition Temperature N/A Proposal Fire Fighting Vear respirator or self-contained breathing apparatus. Simple and Explosion Hazards: Section 6 - ACCIDENTAL RELEASE MEASURES Septo 16 follow if material is spilled or and collect absorbont materials. Were respiratory equipment, to avoid in and collect absorbont materials. With large spills, use respiratory equipment, to avoid in and collect absorbont materials. Verstel Disposal Method: Dispose of in accordance with current laws and regulations. Section 7 - HANDLING AND STORAGE Store upright in a cool, dry area. Avoid direct light and heat. DO NOT expose to temperatures or 120° F / 50° C. DO NOT puncture or incinerate container. Assure can is in a secure place to prevent accidental rupture. Section 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION Not normally required in well-ventilated areas, however, NIOSH approved respiratory protection may required when the material is used in confined areas. Avoid overexposure for long periods in endote the protective Clothing/Equipment: Not required When the material is used in confined areas. Avoid overexposure for long periods in endote the material is used in confined areas. Avoid absorbing in product. Provide venilation if working in confined a			2. Eyes	Only exposed subject of cool water for at least 1	r EMS should remove subj		
with water. Ingest milk or water. Call 800-535-5053 or obtain medical advit immediately. If victim is convulsing or unconscious, do not give anything by ensure the victim's airway is open and lay the victim on his/her side with the lower than the body. IMMEDIATELY transport the victim to a hospital. SECTION 5 - FIRE-FIGHTING MEASURES Flammability Classification 16 CFR 1500.45: Non-Flammability Classification 16 CFR 1500.45	Routes Of E	intry)	3. Skin	Flush with cool water for		h with mild soap	and water. Seek
Mash Point: N/A Auto-Ignition Temperature N/A			4. Ingestion	with water. Ingest milk immediately. If victim is ensure the victim's airw	or water. Call 800-535-50 s convulsing or unconsciou ray is open and lay the victi	53 or obtain medi s, do not give any m on his/her side	cal advice thing by mouth, with the head
Make Material Make Material Make Material Makerial	SECTION 5 - FIR	E-FIGHTING	MEASUR	ES			
Elash Point: Statinguishing Media: Special Fire Fighting Procedures: Wear respirator or self-contained breathing apparatus. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Section 6 - ACCIDENTAL RELEASE MEASURES Steps to follow if material is spilled or eleased: Ventilate area and after absorbent material. With large spills, use respiratory equipment, to avoid it and collect absorbent materials. Ventilate area and after absorbent process, wash area with soap and cold water Ventilate area and after absorbent process, wash area with soap and cold water Ventilate area and after absorbent process, wash area with soap and cold water Ventilate area and after absorbent process, wash area with soap and cold water Ventilations to be taken in handling a storage: Store puright in a cool, dry area. Avoid direct light and heat. DO NOT expose to temperatures over 120° F / 50° C. DO NOT puncture or incinerate container. Despiratory Protections: SECTION 3 - EXPOSURE CONTROLS AND PERSONAL PROTECTION Not normally required in well-ventilated areas, however, NIOSH approved respiratory protection may required when the material is used in confined areas. Avoid overexposure for long periods in enclor yes. Septimental controls: Yes. Suggested (not required) Yes. Exposure without protection in training environment is acceptable. Other Protective Clothing/Equipment: Not required Not required Not required Physical State: Liquid Soluling Point: 100° C (212° F) Specific Gravity (H20 = 1) -1.0 @ 20° C Solublity in Water: Soluble Vapor Pressure: 140 PSI Stable X Hazardous May Occur	Flammability Classific	ation 16 CFR 15	500.45:	Non-Flammable: Electi	onic Immobilization Devi	ice Compatible	
Special Fire Fighting Proceedures: Wear respirator or self-contained breathing apparatus. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. Store would be irritational. We the little and and collect and col	Flash Point:	N/A					
Waste Disposal Method: Stay upwind Sta		Halon, Carbo	n Dioxide, Dry (Chemical or Water			
Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire.		Wear respirat	tor or self-conta	ined breathing apparatus.			
Sept to follow if material is spilled or eleased: Wipe up small spills with absorbent material. With large spills, use respiratory equipment, to avoid it and collect absorbent materials. Wipe up small spills with absorbent material. With large spills, use respiratory equipment, to avoid it and collect absorbent materials. Ventilate area and after absorbent process, wash area with soap and cold water foutside: Stay upwind Waste Disposal Method: Dispose of in accordance with current laws and regulations. SECTION 7 - HANDLING AND STORAGE Store upright in a cool, dry area. Avoid direct light and heat. DO NOT expose to temperatures over 120° F / 50° C. DO NOT puncture or incinerate container. SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION Respiratory Protection: Work Indiation: Yes Protective Gloves: Suggested (not required) Yes. Exposure without protection in training environment is acceptable. Other Protective Clothing/Equipment: Not required Work/Hyglenic Practices: Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once, eat, drink, or smoke while handling product. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Provide ventilation if working in confined areas. SECTION 10 - STABILITY AND REACTIVITY Unstable Conditions To Avoid May Occur	Jnusual Fire and	Smoke would	be irritating to	eyes and mucous membran	es. Containers may burst in t	he heat of a fire.	
eleased: and collect absorbent materials. Ventilate area and after absorbent process, wash area with soap and cold water foutside: Stay upwind Waste Disposal Method: Dispose of in accordance with current laws and regulations. SECTION 7 - HANDLING AND STORAGE Precautions to be taken in handling & County area. Avoid direct light and heat. DO NOT expose to temperatures over 120° F / 50° C. DO NOT puncture or incinerate container. Assure can is in a secure place to prevent accidental rupture. SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION Not normally required in well-ventilated areas, however, NIOSH approved respiratory protection may required when the material is used in confined areas. Avoid overexposure for long periods in enclose the protective Gloves: Suggested (not required) Seye Protective Clothing/Equipment: Not required Nork/Hygienic Practices: Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once. eat, drink, or smoke while handling product. Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Solling Point: 100° C (212° F) Specific Gravity (H20 = 1) -1.0 @ 20° C Sollubility in Water: Soluble Conditions To Avoid Incompatibility (Materials To Avoid) N/A Respiratory Protective Conditions To Avoid Incompatibility (Materials To Avoid) N/A Respiratory Protective Conditions To Avoid Incompatibility (Materials To Avoid) N/A Respiratory Protective Conditions To Avoid Incompatibility (Materials To Avoid) N/A Respiratory Protective Conditions To Avoid Incompatibility (Materials To Avoid) N/A Respiratory Protective Conditions To Avoid Incompatibility (Materials To Avoid) N/A Respiratory Protective Conditions To Avoid Incompatibility (Materials To Avoid) N/A		CIDENTAL F	RELEASE N	MEASURES			
Natse Disposal Method: Dispose of in accordance with current laws and regulations. SECTION 7 - HANDLING AND STORAGE Precautions to be taken in handling & Store upright in a cool, dry area. Avoid direct light and heat. DO NOT expose to temperatures over 120° F / 50° C. DO NOT puncture or incinerate container. Assure can is in a secure place to prevent accidental rupture. SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION Not normally required in well-ventilated areas. Avoid overexposure for long periods in enclose dentification: Yes Protective Gloves: Suggested (not required) Vers. Exposure without protection in training environment is acceptable. Work/Hygienic Practices: Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once. eat, drink, or smoke while handling product. Protective Colors: Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Provide ventilation if working in confined areas. Section 10 - STABILITY AND REACTIVITY Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Atazardous May Occur		al is spilled or	Wipe up small spills with absorbent material. With large spills, use respiratory equipment, to avoid irritation, and collect absorbent materials.				
Assite Disposal Method: Dispose of in accordance with current laws and regulations. SECTION 7 - HANDLING AND STORAGE Precautions to be taken in handling & Store upright in a cool, dry area. Avoid direct light and heat. DO NOT expose to temperatures over 120° F / 50° C. DO NOT puncture or incinerate container. Assure can is in a secure place to prevent accidental rupture. SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION Respiratory Protection: Ventilation: Yes Protective Gloves: Suggested (not required) Syes Exposure without protection in training environment is acceptable. Other Protective Clothing/Equipment: Not required Nork/Hygienic Practices: Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once. eat, drink, or smoke while handling product. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Soiling Point: 100° C (212° F) Specific Gravity (H20 = 1) ~1.0 @ 20° C Solubility in Water: Soluble Vapor Pressure: 140 PSI Stable X May Occur	f inside:		Ventilate area	and after absorbent proces	s, wash area with soap and co	old water	
Store upright in a cool, dry area. Avoid direct light and heat. Do NOT expose to temperatures over 120° F / 50° C. DO NOT puncture or incinerate container. Assure can is in a secure place to prevent accidental rupture. SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION Respiratory Protection: Ventilation: Yes Protective Gloves: Suggested (not required) Eye Protection: Ves. Exposure without protection in training environment is acceptable. Dither Pretotive Clothing/Equipment: Not required Nork/Hygienic Practices: Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once. eat, drink, or smoke while handling product. Engineering Controls: Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid 3oiling Point: 100° C (212° F) Specific Gravity (H20 = 1) -1.0 @ 20° C Solubility in Water: SecTION 10 - STABILITY AND REACTIVITY Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Hazardous May Occur	f outside:		Stay upwind				
Precautions to be taken in handling & store upright in a cool, dry area. Avoid direct light and heat. DO NOT expose to temperatures over 120° F / 50° C.	Waste Disposal Method	:	Dispose of in	accordance with current law	s and regulations.		
Precautions to be taken in handling & Forecautions: DO NOT expose to temperatures over 120° F / 50° C.	SECTION 7 - HAN	NDLING AN	D STORAG	E			
Section 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION Not normally required in well-ventilated areas, however, NIOSH approved respiratory protection may required when the material is used in confined areas. Avoid overexposure for long periods in enclosed for the protection: Yes Protective Gloves: Suggested (not required) Yes. Exposure without protection in training environment is acceptable. Other Protective Clothing/Equipment: Not required Work/Hygienic Practices: Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once, eat, drink, or smoke while handling product. Engineering Controls: Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Solibility in Water: Soluble Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Hazardous May Occur			Store upright in a cool, dry area. Avoid direct light and heat.				
DO NOT puncture or incinerate container. Deter Precautions: Assure can is in a secure place to prevent accidental rupture. SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION Not normally required in well-ventilated areas, however, NIOSH approved respiratory protection may required when the material is used in confined areas. Avoid overexposure for long periods in enclose ventilation: Yes Protective Gloves: Suggested (not required) Yes. Exposure without protection in training environment is acceptable. Deter Protective Clothing/Equipment: Not required Nork/Hygienic Practices: Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once. eat, drink, or smoke while handling product. Engineering Controls: Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Soilling Point: 100° C (212° F) Specific Gravity (H20 = 1) ~1.0 @ 20° C Solubility in Water: Soluble Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Hazardous May Occur		in nandling &	DO NOT expo	ose to temperatures over 12	0° F / 50° C.		
Respiratory Protection: Respiratory Protection in training environment is acceptable. Respiratory Protection: Respiratory Protection in training environment is acceptable. Respiratory Protection: Respiratory Required: Respiratory Protection: Respiratory Protection: Respiratory Required: Respiratory Respiratory Required: Respiratory Respiratory Required: Respiratory Respiratory Required: Respiratory Respiratory Respiratory Respiratory Respiratory Respiratory			DO NOT pund	cture or incinerate container			
Respiratory Protection: Not normally required in well-ventilated areas, however, NIOSH approved respiratory protection may required when the material is used in confined areas. Avoid overexposure for long periods in enclose ventilation: Yes Protective Gloves: Suggested (not required) Yes. Exposure without protection in training environment is acceptable. Other Protective Clothing/Equipment: Not required Nork/Hygienic Practices: Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once. eat, drink, or smoke while handling product. Engineering Controls: Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Boiling Point: 100° C (212° F) Specific Gravity (H20 = 1) ~1.0 @ 20° C Solubility in Water: Soluble Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Hazardous May Occur							
required when the material is used in confined areas. Avoid overexposure for long periods in enclose ventilation: Yes Protective Gloves: Suggested (not required) Yes. Exposure without protection in training environment is acceptable. Other Protective Clothing/Equipment: Not required Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once, eat, drink, or smoke while handling product. Engineering Controls: Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Boiling Point: 100° C (212° F) Specific Gravity (H20 = 1) Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Hazardous May Occur	SECTION 8 - EXF	POSURE CO					
Protective Gloves: Suggested (not required) Yes. Exposure without protection in training environment is acceptable. Other Protective Clothing/Equipment: Not required Nork/Hygienic Practices: Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once. eat, drink, or smoke while handling product. Engineering Controls: Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Soiling Point: 100° C (212° F) Specific Gravity (H20 = 1) -1.0 @ 20° C Solubility in Water: Soluble Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Hazardous May Occur	Respiratory Protection:		Not normally required in well-ventilated areas, however, NIOSH approved respiratory protection may be required when the material is used in confined areas. Avoid overexposure for long periods in enclosed areas.				
Eye Protection: Other Protective Clothing/Equipment: Not required Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once. eat, drink, or smoke while handling product. Engineering Controls: Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Soliling Point: 100° C (212° F) Specific Gravity (H20 = 1) Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Stability Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Hazardous May Occur	/entilation:		Yes				
Other Protective Clothing/Equipment: Not required Work/Hygienic Practices: Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once. eat, drink, or smoke while handling product. Engineering Controls: Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Boiling Point: 100° C (212° F) Specific Gravity (H20 = 1) ~1.0 @ 20° C Solubility in Water: Soluble Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Stability Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Hazardous May Occur	Protective Gloves:		Suggested (not required)				
Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once. eat, drink, or smoke while handling product. Engineering Controls: Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Boiling Point: 100° C (212° F) Specific Gravity (H20 = 1) ~1.0 @ 20° C Solubility in Water: Soluble Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Stability Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Hazardous May Occur	Eye Protection:		Yes. Exposure without protection in training environment is acceptable.				
eat, drink, or smoke while handling product. Engineering Controls: Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Boiling Point: 100° C (212° F) Specific Gravity (H20 = 1) ~1.0 @ 20° C Solubility in Water: Soluble Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Stability Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Hazardous May Occur	Other Protective Clothing/Equipment:		Not required				
Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Boiling Point: 100° C (212° F) Specific Gravity (H20 = 1) ~1.0 @ 20° C Solubility in Water: Soluble Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Stability Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Hazardous May Occur	Work/Hygienic Practices:						
Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid Boiling Point: 100° C (212° F) Specific Gravity (H20 = 1) ~1.0 @ 20° C Solubility in Water: Soluble Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Stable X Hazardous May Occur		(01041-0-5			areas.		
Boiling Point: 100° C (212° F) Specific Gravity (H20 = 1) ~1.0 @ 20° C Solubility in Water: Soluble Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Stability Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Stable X Hazardous May Occur					DI 1 100 1	1	
Solubility in Water: Soluble Vapor Pressure: 140 PSI SECTION 10 - STABILITY AND REACTIVITY Stability Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Stable X Hazardous May Occur	• • • • • • • • • • • • • • • • • • • •			s pungent			
SECTION 10 - STABILITY AND REACTIVITY Stability Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Stable X May Occur		`	r)		. , , ,		
Stability Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Stable X May Occur			ID BEACT!	VITV	vapor Pressure:	140 PSI	
Stability Stable X Hazardous May Occur	3ECTION 10 - 31		ID KEACII		Incompetibility /Matarial= 7	To Avoid)	NI/A
Hazardous May Occur	Stability			Conditions 10 Avoid	incompatibility (Materials 1	o Avoid)	IN/A
			X				
Conditions To Avoid Hazardous Decomposition Products: N/A							
	-orymenzation:	Will Not Occur	Х	Conditions To Avoid	Hazardous Decomposition	Products:	N/A

SECTION 11 - TOXICOLOGICAL INFORMATION

Standard Draize Test: Skin, rabbit, 500 mg Severity: Slightly Irritating

ACUTE INHALATION LC50 (rat): > 100.5 mg/L

SECTION 12 - ECOLOGICAL INFORMATION

Standard Draize Test: Eye, rabbit, 100 mg

This product has not been tested for environmental effects.

SECTION 13 - DISPOSAL CONSIDERATIONS

Consult Federal, State, and Local Regulations

Severity:

Waste Disposal Methods:

Evacuate contents in a safe area, & dispose of container.

Mildly Irritating

SECTION 14 - TRANSPORT INFORMATION

DOT HM-181 INFORMATION	GROUND	<u>AIR</u>	
Proper Shipping Name:	LTD. QTY	Aerosols, non-flammable	
Hazard Class or Division:	none	2.2	
Identification Number:	none	UN1950	
Packaging Group:	none	none	
Label(s) Required:	none(ltd.qty)	2.2	

INTERNATIONAL TRANSPORTATION REGULATIONS

Regulations vary from country to country. Check regulations for your country.

	GROUND	<u>AIR</u>	<u>OCEAN</u>
Proper Shipping Name:	LTD. QTY	Aerosols, non-flammable	Aerosols, Non-Flammable
Hazard Class or Division:	none	2.2	2.2
Identification Number:	none	UN1950	UN1950
Packaging Group:	none	none	none
Label(s) Required:	none(ltd.qty)	2.2	2.2 LTD. QTY

SECTION 15 - REGULATORY INFORMATION

TOXIC SUBSTANCES CONTROL ACT:		This produ	This product is in compliance with the U.S. Toxic Substances			
			Control Act (TSCA) inventory requirements.			
SARA TITLE III, SECTION 313:		Not Listed				
CLEAN AIR ACT (CAA):		Not Listed				
CLEAN WATER ACT (CWA):		Not Listed				
CALIFORNIA PROPOSITION 65:		Not Listed				
MASSACHUSETTS RIGHT TO KNOW:	CAS#	67-17-5				
PENNSYLVANIA RIGHT TO KNOW:	CAS#	67-17-5	57-55-6	9005-65-6		
NEW JERSEY RIGHT TO KNOW:	CAS#	67-17-5	57-55-6	9005-65-6		

CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATIONS SYSTEMS (WHMIS):

Not Listed

SECTION 16 - OTHER INFORMATION

HMIS Ratings: Health: 2 Fire: 1 Reactivity: 0

Signs & Symptoms Of Exposure: Ingredients cause irritation through all routes of entry.

EYE: Liquid or vapors may cause redness, burning, tearing, swelling and/or pain.

SKIN: Frequent or repeated contact with skin may cause burning, redness or skin irritation and dermatitis.

INGESTION: Ingestion may cause irritation to the mouth, throat and stomach, as well as nausea, vomiting, and/or diarrhea.

INHALATION: May cause irritation of the respiratory tract as coughing, sneezing, gagging, chest tightness and irritation to the throat and lungs.

MEDICAL CONDITIONS AGRAVATED: May cause more severe, temporary, effects on those persons who are asthmatics or suffer from emphysema.

CARCINOGEN DATA: None of the Ingredients in this product are listed with OSHA, IARC or NTP as carcinogenic.

Format and Preparation Complies with ANSI Z400.1-1993

DISCLAIMER: This brief provides a general overview of the safety data sheet requirements in the Hazard Communication Standard (see 29 CFR 1910.1200(g) and Appendix D of 29 CFR 1910.1200(g). It does not alter or determine compliance responsibilities in the standard or the Occupational Safety and Health Act of 1970. Since interpretations and enforcement policy may change over time, the reader should consult current OSHA compliance requirements. Please note that states with OSHA-approved state plans may have additional requirements for chemical data sheets, outside of those outlined above. For more information on those standards, please visit http://www.osha.gov/dcsp/osp/statestandards.html.